



## TOWERDRAW 9355-TD

**TOWERDRAW 9355-TD** is a heavy duty compounded metal forming lubricant. It has a very light viscosity with unique wetting, carry through, and flushing properties. **TOWERDRAW 9355-TD** contains both conventional and nonconventional extreme pressure additives. It is safe for use on all types of metals. A minimal film remains after drying which provides in-process corrosion protection. **TOWERDRAW 9355-TD** has good weld through characteristics.

### USAGE

**TOWERDRAW 9355-TD** should be used as supplied. It can be applied in minimal amounts through airless spray, drip, or roller coater systems. **TOWERDRAW 9355-TD** can be easily removed by aqueous cleaners.

### PHYSICAL CHARACTERISTICS

Density	0.82 g/ml 6.9 lbs/gal
Appearance	Pale Yellow Liquid
Viscosity	5.2 cSt @ 40° C
Flash Point	Greater Than 142°F, TCC

### BENEFITS

- **Contains No Hazardous Ingredients**
- **Provides excellent In-process Corrosion Protection**
- **Good carry through multi-station dies**
- **Exhibits Excellent Surface Wetting & Anti-Galling Characteristics**
- **Cleans Easily in Aqueous Cleaners**
- **Can Be Welded Through Without Cleaning**
- **Receives Excellent Operator Acceptance**

### TECHNICAL SUPPORT

**TOWER** wants to assist you in evaluation and selection of suitable products. We urge you to take advantage of this service. This information sheet and **TOWER's** assistance, however, are not a substitute for your own testing and evaluation. 13268